



HIACE ZL HALF PANEL VAN IN QUICKSILVER

HIACE

No wonder the spacious, powerful and versatile Toyota Hiace has been the van of choice for Kiwi tradespeople and businesses of all sizes for more than 40 years. There are many different ways the Hiace works: as a two, five or 12-seater, with powerful and efficient petrol or diesel engines with your choice of manual or automatic transmissions. Be prepared to start your day with the best Hiace yet. The specification includes safety features like VSC and with a choice of exterior body styles, the Hiace is available in handy configurations that offer variations in load capacity, seating capacity and dedicated people movers.




Power through your day

Delivering plenty of power through a choice of 118kW/243Nm 2.7-litre petrol or 100kW/300Nm 3.0-litre turbo diesel engines, the Hiace has more than enough grunt for any trade task, even with a big load in the back.

Hiace is economical to run as well, with transmission and engine-dependent combined fuel economy figures of between 8.1-litres/100km* and 10.8-litres/100km*.

Thanks to EURO 5 emissions compliancy, Hiace is a clean performer as well as a reliable one, with both engines specifically designed to cope with the stresses of long running hours demanded by commercial operators.



engine is a four cylinder 16 valve DOHC design with intercooler that produces

Built for business

The immensely popular Hiace ZL is available in full glass and half-panel variants offering great flexibility for business or pleasure.

Hiace ZL half-panel van offers both extra privacy and extra seating. The five-seater half-panel van acts like an enormous wagon, giving passengers plenty of outward vision while providing huge cargo space with extra security at the rear.

Despite the dimensions of the Hiace's ZL or ZX cargo space, everything you stow inside remains within easy reach, thanks to the combination of a wide-opening rear door and dual sliding side doors that makes the most of access to the van's centre.

Space for any trade

Hiace reaps the benefits of its large capacity carrying abilities, giving the bulk of interior space to the tools of trade that keep Kiwi businesses moving. There is plenty of usable space for anything from boxes to building supplies, pot plants to plumbing gear. With load space measuring 2930mm length/1545mm width/1335mm height for Hiace ZL glass variants, the Hiace provides a spacious interior to fill with whatever is crucial to your working week or weekend. Showcasing supreme space for all, the popular Hiace Minibus seats 12 in comfort, whether your journey is taking you across town or country. Access to and from the rear of the Minibus for passengers remains easy, thanks to this model's higher roofline and wide access side door. Additionally every Hiace features Bluetooth hands-free phone connectivity and audio streaming, voice recognition, steering wheel audio controls, cruise control, powered front windows, tie-down hooks in the van cargo floor and UV reduction glass throughout.







mption as per ADR 81/02 (combined cycle) and CO, emissions as per ADR 79/04 (combined cycle): Diesel fuel as per ADR 81/02 (combined cycle) and ADR79/04 & ADR30/01 diesel (combined cycle) are tested in a controlled environment



The load space in Hiace adapts to any load with dual sliding doors, a high lift rear door and tie down hooks inside.







The Hiace line-up is world famous for its reliability record; reassuring when you drive for a living and being off the road due to mechanical problems isn't an option.

It all starts with the Hiace ZL: an efficient and practically packaged van that just gets on with the job at hand, so you can get on with yours.

The Hiace ZL arrives with standard 15" steel wheels. Available in half-panel and full glass body styles, the recognisable exterior shape of the Hiace lends itself to promotional signage.





- $\fbox{1}$ Both variants of Hiace ZL have sliding doors on both sides for easy loading
- 2 Hiace ZL driver and front passenger have an expansive view over the clean dash. The audio system includes a radio, MP3/WMA CD player, auxiliary input jack and USB connection, Bluetooth handsfree phone capability and audio streaming, voice control for audio/phone, three line text display, radio text, and two speakers
- (3) The durable fabric seats and vinyl floor make for an easy-care environment
- 4 Ample covered storage helps keep the interior clutter free, preventing reflective objects interfering with visibility
- 5 The generously sized centre console is the perfect place to manage the many items you need to access throughout the working day
- 6 The cab forward design neatly packages the engine under the front passenger seat
- (7) A second row seat in ZL half panel and full glass manual variants provides extra seating capacity for three or can be folded for additional cargo space











Hiace ZL 5 door vans

Overall length:	4695mm
Overall width:	1695mm
Overall height:	1980mm
Wheelbase:	2570mm
Loadspace length (full glass variants):	2930mm
Loadspace width (full glass variants):	1545mm
Loadspace height (full glass variants):	1335mm
Kerb weight petrol - manual:	1735-1780kg
Kerb weight petrol - auto:	1755-1800kg
Kerb weight diesel 5 seat full glass - manual:	1845-1890kg
Kerb weight diesel 5 seat half panel - auto:	1880-1925kg
Kerb weight diesel - manual:	1845-1890kg
Kerb weight diesel - auto:	1855-1900kg
Gross vehicle weight:	2800kg
Max towing capacity - braked/unbraked:	1400/700kg



The Hiace ZX's interior is as cavernous as it is clever. The intelligently designed layout helps you to maximize the number and size of items you can carry, while making short work of deliveries, drop-offs or removals. And the combination of a wide opening rear and dual sliding side doors means you can easily reach any items you're moving.

The low level loading, rear step bumper and tie-down hooks makes ZX the large van of choice. With ample space between the rear wheel arches, standard building panels fit with ease.





- 1 Left and right sliding side doors plus the high-lifting rear door give easy access to the shed-sized space inside
- $\left(2
 ight)$ The extra width of ZX van means a panoramic view of the road ahead
- (3) Hiace ZX is all about large loads but the driver and passenger aren't forgotten with easy access to the supportive seating
- (4) Whether you choose manual or automatic the dash mounted gear lever maximises interior space
- 5 The centre console in ZX vans will handle all the small items you need to keep close to hand
- 6 The centrally housed audio can handle phone calls and accepts 3.5mm aux and USB connections
- 7 With its large load area the Hiace ZX van easily stows and carries standard building products. The low level loading, rear step bumper and tie-down hooks makes ZX the large van of choice. With ample space between the rear wheel arches, standard building panels fit with ease











Hiace ZX 5 door van

Overall length:	5380mm
Overall width:	1880mm
Overall height:	2285mm
Wheelbase:	3110mm
Loadspace length:	3470mm
Loadspace width:	1730mm
Loadspace height:	1635mm
Kerb weight - manual:	1980-2025kg
Kerb weight - auto:	1990-2035kg
Gross vehicle weight:	3150kg
Max towing capacity - braked/unbraked	: 1400/700kg

 Petrol fuel consumption as per ADR 81/02 (combined cycle) and CO₂ emissions as per ADR 79/04 (combined cycle); Diesel fuel consumption as per ADR 81/02 (combined cycle) and ADR79/04 & ADR30/01 diesel (combined cycle) are tested in a controlled environment.





Need to get colleagues, the sports team or the extended family somewhere safely and comfortably? The popular and practical Minibus is the proven vehicle for the job. With individual seats for all 12 occupants, wide-opening doors for easy access and the powerful 3.0-litre turbo diesel engine taking care of the hard work, the Hiace Minibus remains the best way to travel in numbers.





- (1) Hiace Minibus loads from the left sliding door for passenger safety
- (2) The rear passenger area accommodates eight passengers on the right and two passengers in single seats on the left
- (3) For passengers seated in the rear there's a clear pathway between seats for an easy exit
- (4) Interior comfort is paramount for happy, relaxed passengers cool air is delivered through ceiling vents. Passengers travel in comfort and safety thanks to all seats having 3-point ELR seat belts
- 5 Hiace Minibus also features 3 x Tether Anchors and 3 x ISOFIX points
- (6) For relaxed driving on long journeys cruise control is a welcome feature
- (7) As well as having plenty of space inside, the Minibus side door has been designed with ample head room for easy entry and exit







te

Overall length:		5380mm
Overall width:		1880mm
Overall height:		2285mm
Wheelbase:		3110mm
Seating capacity:		12
Kerb weight - manual:	:	2185-2205kg
Kerb weight - auto:		2195-2215kg
Gross vehicle weight:		3250kg
Max towing capacity -	braked/unbraked:	1400/700kg

Safety and practicality in one proven package

Make Hiace your own

With a Hiace on your fleet, there's also a range of Toyota Genuine Accessories that will allow you to customise your Hiace to suit your needs.



Your Hiace is essentially your mobile office, so offering the certainty of a safe driving environment for your busy day is a high priority for Toyota. Every Hiace features a comprehensive standard safety package, including Vehicle Stability Control, Traction Control, Brake Assist and Hill Start Assist Control.

In the cabin, occupant safety and comfort is paramount, with large and convenient storage for lunchboxes, workbooks and mobile devices. Five-seater models also sport a roomy seating environment in the rear featuring 3-point, Emergency Locking Retractor (ELR) seatbelts fitted in each outer seating position with a 2-point centre seat belt. Hiace Minibus features 3 x Tether Anchors and 3 x ISOFIX points.

- 1 Front seat occupants are protected with airbags in the front dash and steering wheel
- (2) Each Hiace features a reversing camera with static guide lines and a clever colour monitor camera embedded in the rear view mirror, offering extra convenience in confined urban delivery zones and added peace of mind when reversing in residential areas
- (3) VSC (Vehicle Stability Control) helps you correct a loss of control by detecting if the vehicle is starting to skid or slide. By comparing the vehicle's direction of travel with your steering, acceleration and braking inputs it can tell if you are deviating from the intended direction. VSC then warns you, reduces engine power and controls the brakes to help you correct the situation.



Front seat pre-tensioners instantly tighten the seat belts at the time of a collision to help enhance occupant restraint performance. The force limiter function loosens the seat belts while maintaining the load to help mitigate the impact to the chest regions of the front seat occupants.



Hiace ZL full glass vans have achieved 4-stars in the ANCAP safety test.









Nudge Bar - Standard Made from stainless steel this SRS airbag compatible nudge bar has driving light mounts.



Towbar and Accessories Safely tow 1400kg braked/700kg unbraked trailers with this fixed tongue towbar and accessories.



Towbar/Bullbar with Steps and Accessories The combination Towbar/Bullbar can safely tow 1400kg braked, 750kg unbraked. Available without step plates.



Front Seat Covers - Canvas Protect the front seats of your Hiace with these durable grey canvas seat covers.

 $\ensuremath{\textbf{Nudge Bar}}$ - $\ensuremath{\textbf{Deluxe}}$ This polished alloy nudge bar is SRS airbag compatible and has driving light mounts.



Weathershields allow fresh air into the cabin while protecting you from the elements. They are lightly tinted to reduce glare and resistant to UV discolouration.



Roof Racks A wide range of roof racks and load carrying accessories are available from your local Toyota Dealer.



Front Floor Mats - Rubber

Only Toyota Genuine Accessories are designed and manufactured to the same high standard as original parts. Fitting Genuine Toyota Accessories also ensures the integrity of your vehicle, with components tested to exacting standards for New Zealand conditions and backed by a 3 year or 100,000 kilometres* warranty. *Whichever comes first. Warranty valid from when the accessory is fitted, at time of new vehicle purchase at your Toyota Store.





These heavy duty rubber floor mats will protect the floor of your Hiace. Driver's side has two clips for safety.

HIACE EXTERIOR COLOURS

French



Quicksil



Magma Red 3L5 FIRM DEALE



Cascade Blue 8P4 MICA METALL FIRM DEALER



Black Cherry MICA METALL ZL MODELS ON FIRM DEALER



HIACE INTERIOR TRIM



DARK GREY FABRIC

HIACE SPECIFICATIONS		HIACE ZL			HIACE ZX	HIACE MINIBUS	
		2.7L PETROL GLASS VAN	3.0L DIESEL HALF-PANEL VAN	3.0L DIESEL GLASS VAN	3.0L DIESEL GLASS VAN	3.0L DIESEL GLASS VAN	
4S A	Engine: 2.7 litre petrol engine. 4 cylinder In-line 16 valve DOHC (Double Overhead Cam) design with Variable Valve Timing-intelligent						
ANIC, ATION	(VVT-i). Electronic fuel injection system. Maximum Power 118 kW @ 5200rpm, maximum torque 243 Nm @ 4000rpm	•					
MECHANICAL	Engine: 3.0 litre intercooled turbo diesel engine. 4 cylinder In-line 16 valve DOHC (Double Overhead Cam) design. Direct Injection system.		•	•	•	•	
SPE	Maximum power 100 kW @ 3400rpm, maximum torque 300 Nm @ 1200-2400rpm.		•	•			
	Combined fuel consumption per 100km (ADR81/02)* manual / automatic	10.8L / 10.5L	- / 8.7L	8.1 L / 8.7L	8.7L / 9.3L	8.9L / 9.5L	
		251g / 244g	- / 202g	211g / 227g		232g / 247g	
	Combined CO ₂ emissions per g/km (ADR79/04 petrol; ADR79/04 & ADR30/01 diesel)* manual / automatic	251g/244g	• 202g	211g7 227g	227g / 242g	2329/24/9	
	Diesel Particulate Filter (DPF)		•			•	
	Transmission: 5-speed manual	•		•	•	•	
	Transmission: 4-speed automatic		•	•	•	•	
	Transmission: 6-speed automatic with sequential manual mode	•					
	Exhaust Emission Standard: Euro 5	•	٠	•	•	•	
Q Si S		•	•	•	•	•	
FEERING, BRAKES & SUSP	Suspension: Front - fully independent double wishbone type with upper torsion bar and stabiliser bar. Rear - leaf spring rigid axle	•	•	•	•	•	
ST	Minimum turning circle (tyre):	10.0m	10.0m	10.0m	12.4m	12.4m	
RES	Wheels: 15" steel wheels with full wheel cap	•	•	•	•	•	
EXTERIOR FEATURES	Tyre size: 195/80 R15	•	•	•	•	•	
άų	Spare wheel: full size	•	•	•	•	•	
	Front design: black front bumper with silver and black grille	•	•	•	•	•	
	Side design: black door handles, driver and front passenger black side step. Black outside	Manual slide	Manual slide	Manual slide	Manual slide		
	rear view mirrors with manual fold and electric adjustment	rear windows	rear windows	rear windows	rear windows	•	
	Side design: sliding side door	Left and right	Left and right	Left and right	Left and right	Left	
	Rear design: black bumper and black garnish	Step bumper	•	Step bumper	Step bumper	•	
	Headlights: halogen with bulb type Daytime Running Lights (DRL)	•	•	•	•	•	
	Windscreen wipers: washer-linked intermittent. Rear intermittent window wiper	•	•	•	•	•	
ERIOR FEATURES & CONVENIENCE	Seating capacity	2	5	2 or 5 Manual 2 Auto	2	12	
EAT!	Interior trims: dark grey patterned woven fabric seats. Urethane with Leather-like grain texture instrument panel	•	•	•	•	•	
ON P	Air conditioning with dial type controls and a clean air filter	•	•	•	•	•	
ITER & (4-spoke urethane steering wheel with audio controls and cruise control stalk. Tilt adjustment	•	•	•	•	•	
≤	Cruise control	•	•	•	•	•	
	Front seats with slide and recline functions	•	•	•	•	•	
	Rear passenger seats with recline function		•			•	
	Interior side steps (rear)	Left and right	Left and right	Left and right	Left and right	Left	
	Luggage area: tie-down Hooks in cargo floor	4 hooks	4 hooks	4 hooks	6 hooks	Len	
		1 bar	1 bar	1 bar	2 bars		
	Luggage area: room separator bar Storage: centre console provides safe storage for your MP3 player and cell phone. Additional storage includes a glovebox, centre	T Dai	1 1041	1 0 81	2 0013		
	console storage box with tray and pocket, 4 front cup holders and glove box. Bottle holder in front doors	•	•	•	•	•	
	Front windows: power with driver's side auto up/down and anti-jam function	•	•	•	•	•	
	Wireless remote central door locking	•	•	•	•	•	
		•	•	•	•	•	
0 & DLS	Combination meter: three ring style with speedometer, tachometer, fuel gauge, digital clock, twin trip meter, ECO indicator (auto only),	•				•	
AUDIO & CONTROLS	shift position indicator (auto only) and Multi-Information Display (MID)						
COL	Multi-Information Display (MID): average fuel consumption, range, current fuel consumption and outside temperature	•	•	•	•	•	
	Meter illumination control	•	•	•	•	•	
	Radio with single disc CD player, audio input jack, USB input, Bluetooth handsfree phone capability and audio streaming, audio and hands-free telephone voice recognition	2 speakers	2 speakers	2 speakers	2 speakers	4 speakers	
۵≻	ANCAP safety rating	4-Star	Not tested	4-Star	Not tested	Not tested	
Y AN URIT	Anti-lock Braking System (ABS), Brake Assist (BA)	4-3tai	•	4-3tai	·	·	
SAFETY AND SECURITY	Traction Control (TRC) and Vehicle Stability Control (VSC on/off switch)	•	•	•	•		
		•	•		•	•	
	Hill-start Assist Control (HAC)	•		•		•	
	Reversing camera: 3.3" colour display in rear view mirror. Static guidance lines	•	•	•	•	•	
	Seatbelts: 2 x 3-point Emergency Locking Retractor (ELR) front seatbelts pre-tensioners	•	•	•	•	•	
	Seatbelts: 2 x 3-point Emergency Locking Retractor (ELR) second row outer seatbelts; 1 x 2-point centre seat belt		•	5 seat manual			
	Seatbelts: 10 x 3-point Emergency Locking Retractor (ELR) rear passenger seatbelts; 3 x ISOFIX, 3 x Tether Anchors					•	
	Seatbelt warning: Drivers and front passenger seat with warning light and buzzer	•	•	•	•	•	

VISIT: toyota.co.nz | CALL: 0800 TOYOTA

٠

•

•

•



Airbags: Driver and front passenger airbags

Engine Immobiliser







* Fuel consumption as per ADR 81/02 and emissions as per ADR 79/04 petrol; ADR79/04 & ADR30/01 diesel (combined cycle) are tested in a controlled environment. These figures are for comparison purposes only between other makes and actual fuel consumption may vary under real world driving conditions. Fuel consumption will vary depending on many factors including driving conditions/style, vehicle usage, condition and options/ accessories fitted. Every endeavour has been made to ensure text details and specifications contained in this publication were accurate as at 1 June, 2018. Toyota New Zealand Limited reserves the right at any time to introduce any changes deemed necessary to improve the models shown or for any other reason. Paint and upholstery colours shown in this brochure may differ from actual colours due to variations in printing processes. Some models shown in this brochure may have optional accessories fitted. For further information contact your nearest Toyota Store. They will be glad to assist. [Production effective December 2017]

1,500 June 2018 SB410

•

•

•

•

٠

•