

Unapologetically rugged and unrivalled in mechanical reliability, the Land Cruiser 70 is available in three distinct body shapes so there's even more potential for carrying loads and passengers. With the classic Cab Chassis available in Single and Double Cab variants, and the Wagon with vast cargo space, there's a Land Cruiser 70 to suit every heavy duty application.

Land Cruiser 70 is renowned for reliable high performance whatever the job or working conditions. All models are powered by a 4.5 litre V8 Common Rail Turbo Diesel engine. Delivering 151kW at 3400rpm and an impressive 430Nm of torque from only 1200rpm, this engine provides the muscle needed to tackle the best of and worst of New Zealand's natural terrain.

There's more efficient Piezo injectors on board for increased responsiveness, reduced operating noise, lower emissions and reduced fuel consumption.

All Land Cruiser 70 models have a 5-speed manual transmission and part time 4WD with Dual Automatic Locking Hubs (D-ALH) allowing you to engage and disengage them from the comfort of the driver's seat. Front and rear differential locks ensure progress is maintained through the toughest terrain. The low transfer ratio of 2.488 and high torque allows very low speeds for controlled off-road manoeuvres and steep descents.

The coil spring suspension, long wheelbase and shock absorbers have been tuned for a smoother ride when you're cruising along on-road and less bumping around in the cabin when you're off-road. Coupled with a rigid front axle, the suspension provides great axle articulation for all important traction.

Equally compatible in the digital age, the Land Cruiser 70 features an audio system with Bluetooth handsfree phone capability and audio streaming. There's also air conditioning and a USB connection for your portable music player making your back country travels all the more enjoyable.

Land Cruiser 70's suite of safety technology includes Anti-Lock Brakes (ABS), Vehicle Stability Control (VSC), Active Traction Control (A-TRC), Hill-start Assist Control (HAC) and a reversing camera across the range, delivering optimum performance in areas where it's likely to be used; dirt tracks, rural properties and country roads.

For well over 60 years, Toyota Land Cruiser has proven its ability in rugged encounters all over the globe - handling the day in, day out pressures of an on-farm, off-road, on site vehicle with extraordinary stamina and dependability.

Many of the early Land Cruiser models can still be seen on our roads in daily use - testimony to their legendary reliability.

Land Cruiser's enviable reputation continues in New Zealand. From Cape Reinga to Bluff, every day we are pushing Land Cruisers to their limits and in some of the most severe conditions on the planet.

Land Cruiser 70 has a well earned reputation for reliablity and durability.



- Driver and front passenger airbag protection is standard across the Land Cruiser 70 range
- 2 At the heart of Land Cruiser 70 is the powerful and flexible 4.5 litre Turbo Diesel engine
- All models have Active Traction Control
 (A-TRC) and Vehicle Stability Control
 (VSC) with an on-off switch

LAND CRUISER 70 SINGLE CAB CHASSIS

Land Cruiser 70 Single Cab Chassis models form the backbone of Toyota's legendary workhorse trucks. Built on a strong ladder frame chassis these vehicles will take a lot of punishment without complaint. While Land Cruiser 70 is all go, big powerful ventilated disc brakes all round slow things down in a hurry.

If you are serious about your work you'll be serious about your tools. Best you have a tough tool kit to get you to work and back.





LX SINGLE CAB CHASSIS IN GRAPHITE

LAND CRUISER 70 DOUBLE CAB CHASSIS

Needing five people at a remote site or out the back of the farm is no longer an issue with the Double Cab Land Cruiser 70. If the day will be a long one the Double Cab models like the Single Cabs carry 130 litres of fuel so you can cover a lot of distance.

There are plenty of tough jobs requiring a whole team to be on site. The Double Cab will carry five people and their gear anywhere.





LT DOUBLE CAB CHASSIS IN VINTAGE GOLD


LX DOUBLE CAB CHASSIS IN SILVER PEARL





- 1 Accessory decks can be fitted to suit load height needs. The deck shown here is mounted at its lowest position requiring the spare wheel to be mounted on the deck. When fitted higher the spare wheel slides under the deck
- 2 LT models feature 16" steel wheels while LX models feature 16" alloys
- 3 The audio system expands its repetoire with Bluetooth phone capability and MP3 player connection
- 4 Tackling difficult terrain can be hot work so air conditioning is provided in all models to keep things cool
- 5 Tilt and telescopic steering means drivers of all sizes will find a comfortable driving position
- 6 Front and rear diff locks are standard for all LC70 models
- (7) Both single and double cab models have pockets for small items plus a centre console box that keeps the cabin organised





ANCAP Safety ★★★★★

- 7 The LX models feature a chrome bumper, front grille and exterior rear view mirrors
- 8 Part time 4WD with Dual Automatic Locking Hubs allows for easy transition from tarseal to rougher surfaces that
- 9 A hallmark for all LC70's is the panoramic view afforded by the expansive glass
- (10) All variants have a front storage compartment and bottle holder with 12V accessory power socket
- 11 LX models have durable carpet floor covering
- 12 The Double Cab three person rear bench seat can be folded forward providing easy access to useful storage for small items when the seats aren't required
- 13) LX models have power windows and remote door locking

LAND CRUISER 70 4 DOOR **WAGON**

Land Cruiser 70 Wagon will carry two people up front and has the space to carry a substantial load fully enclosed in the cargo bay. Designed for going to far-flung places often over rough terrain the LT Wagon has a 180 litre fuel capacity to go a greater distance without refuelling.

Moving gear to distant off-road worksites?

Land Cruiser LT Wagon's massive load space will carry your cargo with ease.



LT WAGON IN FRENCH VANILLA





- 1 LC70 Wagon provides an ideal solution for off-road servicing of heavy machinery but can also be a very capable and accommodating off-road wagon for leisure times
- 2 Arriving on site in the Land Cruiser 70 Wagon will leave others in no doubt that you mean business. With a 4.5 litre V8 Turbo Diesel and imposing facade the wagon will be right at home amongst the biggest machinery
- 3 The loadspace floor is over 2 metres long x 1.5 metres wide
- 4 LT Wagon has seats for the driver and front passenger - the rest of the space is devoted to cargo
- 5 There's space for drink bottles, small tools and cellphones so the floor and dash can remain clutter free



FOR MORE IMAGES AND DETAIL VISIT: toyota.co.nz/our-range/land-cruiser/land-cruiser-70/





Tray body assembly. Fabricated from heavy duty galvanised steel with a steel checkerplate deck. Rear Ladder Rack is available as an option, sold separately. An aluminium alloy tray is also available as shown in the image at top.



Acrylic bonnet and headlight protection. Keep your Land Cruiser 70 looking good. Sold separately.



Towbar. As well as carrying a decent load, Land Cruiser 70 can tow too. To ensure you maximise Land Cruisers ability, get a towbar certified for a 3500kg load - braked.



Rubber floor mats. While your Land Cruiser 70 is managing the mud outside you can keep control of it inside with these accessory rubber floor mats.




Forge bull bar - alloy. This polished alloy bull bar is SRS airbag compatible and includes driving light and CB aerial mounts. Suitable for fitment with 'Super Winch'. Pricing may differ between model grades.

Land Cruiser 70 exterior colours













Land Cruiser 70 interior trim

and blue

MICA



LA	ND CRUISER 70 SPECIFICATIONS	LT SINGLE CAB CHASSIS	LX SINGLE CAB CHASSIS	LT DOUBLE CAB CHASSIS	LX DOUBLE CAB CHASSIS	LT WAGON
MECHANICAL SPECIFICATIONS	The 4.5 litre Turbocharged Diesel engine is a V8, 32 valve, Quad Cam with intercooler. Maximum power of 151kW is produced @ 3400rpm and maximum torque is 430Nm @ 1200~3200rpm. Common rail direct injection system with Diesel Particulate Filter					
	Diesel is required. Fuel tank capacity Fuel consumption/100km ADR 81/02 (combined); CO., emissions/km* ADR 79/04 (combined).	130L 10.6L/281g	130L 10.6L/281g	130L 10.6L/281g	130L 10.6L/281g	90 + 90L 10.7L/281g
	Exhaust emission standard Euro 5	10.0L/281g	10.0L/281g	10.0L/281g	10.0L/281g	•
	5-speed manual transmission		•	•		•
	Part-time 4WD with high-low ratio selection	•	•	•	•	•
	Dual Automatic Locking Hubs (D-ALH); front and rear differential locks		•	•	•	•
BRAKES, STEERING & SUSPENSION	Front suspension is Coil Spring rigid axle with low pressure gas-filled shock absorbers and stabiliser bar Rear suspension is Leaf Spring rigid axle with low pressure shock absorbers (with stabiliser bar for Wagon)		•	•	·	•
	Steering is engine speed sensitive power-assisted recirculating ball Minimum turning circle (tyres) / turns lock to lock	14.4m/3.8	14.4m/3.8	14.4m/3.8	14.4m/3.8	13.6m/3.8
	Power-assisted ventilated front disc brakes; ventilated rear disc brakes	•	•	•	•	•
	Wheels: 16" steel fitted with 225/95 R16 tyres. Full size steel spare wheel	•		•		•
	Wheels: 16" alloy fitted with 265/70 R16 tyres. Full size alloy spare wheel		•		•	
EXTERIOR FEATURES	Halogen headlights		•			•
	Green tinted laminated windscreen, green tinted side window glass	•				•
	Washer linked front wipers with intermittent function (variable for LX models)	•	•	•		•
	Intermittent rear window wiper					•
	Air intake snorkel	•	•	•	•	•
	Front and rear towing hooks	•	•	•	·	•
	Side steps Black bumper, grille and exterior rear view mirrors; chrome exterior door handles	Painted	Aluminium	Aluminium	Aluminium	Painted
	Chrome bumper, grille, exterior rear view mirrors and exterior door handles	<u> </u>		·		•
	Painted over fenders		Front		Front	
	Spare wheel carrier (depends on deck style fitted)	Under-tray	Under-tray	Under-tray	Under-tray	Rear door
(0 III	Separate front seats with slide and recline functions, headrests with height adjustment					
ENG!	Rear transverse seat with tumble function, outer rear headrests with height adjustment; fabric seat covers					
INTERIOR FEATURES & CONVENIENCE	Interior floor covering	Vinyl	Carpet	Vinyl	Carpet	Vinyl
	Tilt and telescopic steering column, 4-spoke urethane steering wheel; urethane gear and transfer levers	•	•	•		•
	Air conditioning; front heater	•	•	•	•	•
	Tachometer, twin trip meters; Multi-Information Display (MID) for LX models	•	•	•	•	•
	Cruise control	• Doi:/	• D-i/	• Driver	Driver	• Driver
	Seat belt warning light and buzzer Assist grips	Driver/pass 3	Driver/pass 3	7	7	3
	Centre console console box with lid, cupholders and removeable tray	•	•	•	•	
	Centre console open top console box with bottle holders					•
	Central door locking		•	•	•	
	Power windows with driver's side auto down		Front		Front & Rear	
	Idle up switch	•	•	•	•	•
AUDIO	6.1" display audio, AM/FM radio and single disc in-dash MP3/WMA CD player; USB connection; Bluetooth handsfree phone capability and audio streaming, voice control for audio and phone, 3 line text display, security system	2 speakers	2 speakers	2 speakers	2 speakers	2 speakers
	Radio antenna	Manual	Power	Manual	Power	Manual
SAFETY & SECURITY	Driver front and knee, passenger front and 2 x curtain shield airbags	•	•			
	Driver and front passenger airbags			•	•	•
	2x3-point Emergency Locking Retractor (ELR) front seat belts (with pretensioners for Single Cab)	•	•	•	•	•
	2x3-point ELR outer rear seat belts and 1x2-point centre lap belt; child proof rear door locks Anti-Lock Braking System (ABS), Brake Assist (BA), Electronic Brake-force Distribution (EBD), Hill-start Assist Control (HAC), Active Traction Control (A-TRC), Vehicle Stability Control (VSC)					
	Emergency Stop Signal (ESS)					
	Engine immobiliser			•		•
	Reversing camera	•	•	•	•	•
DIMENSIONS	Outself Is south (sees)	5220	5230	5220	5230	5210
	Overall length (mm): Overall width / height (mm):	1790 / 1970	1870 / 1955	1790 / 1960	1870 / 1945	1790 / 2115
	Wheelbase (mm):	3180	3180	3180	3180	2980
	Minimum ground clearance (mm):	283	283	283	283	269
	Approach / departure angle (degrees):	35 / 29	33 / 27	35 / 29	33 / 27	35 / 25
	Wading depth: (mm)	700	700	700	700	700
	Turning circle (metres):	14.4	14.4	14.4	14.4	13.6
	Gross weight / kerb weight (kg):	3400 / 2220	3400 / 2230	3300 / 2255	3300 / 2255	3300 / 2315
	Gross combined mass (kg) Braked / unbraked towing capacity (kg)	6900 3500 / 750	6900 3500 / 750	6800 3500 / 750	6800 3500 / 750	6800 3500 / 750
	Seating capacity:	2	2	5	5	2
		-	-		ŭ	-

Because Toyota believes in going the extra mile we offer comprehensive support and a great range of products and services for our valued customers

For more detail please visit: toyota.co.nz







1,500 March 2017 SB380

